FORM F	TO - 1	449 '		ATTORNEY DO	CKET NO.	LEX-023			
INFORM	AATIO	N DISCA OSULE	TEMENT	APPLICANT(S): Gillies et al.					
		WIE 1 6 301		SERIAL NO. 10/737,208 CONF. NO. 6855					
	•	AUG 1 0 Zu	OFFICE W	FILING DATE: I	December 1	6, 2003	GROUP: 1653		
				NT DOCUMENTS					
EXAM. NIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE II APPROPRIATE		
14	Al	07/348,237	5/5/89	Rosenblum et al.					
1	A2	4,196,265	4/1/80	Koprowski et al.					
	A3	4,469,797	9/4/84	Albarella			·		
	A4	4,676,980	6/30/87	Segal et al.					
	A5	4,703,008	10/27/87	Lin					
	A6	4,816,567	3/28/89	Cabilly et al.					
	A7	4,946,778	8/7/90	Ladner et al.					
	A8	5,019,368	5/28/91	Epstein et al.					
	A9	5,073,627	12/17/91	Curtis et al.					
	A10	5,114,711	5/19/92	Bell et al.					
	All	5,116,964	5/26/92	Capon et al.					
	A12	5,199,942	4/6/93	Gillis					
1	A13	5,225,538	7/6/93	Capon et al.					
	A14	5,225,539	7/6/93	Winter					
	A15	5,258,498	11/2/93	Huston et al		·			
	A16	5,314,995	5/24/94	Fell, Jr. et al.					
	A17	5,349,053	9/20/94	Landolfi					
	A18	5,359,035	10/25/94	Habermann					
	A19	5,441,868	8/15/95	Lin					
	A20	5,457,038	10/10/95	Trinchieri et al.					
	A21	5,514,582	5/7/96	Capon et al.					
	A22	5,538,866	7/23/96	Israeli et al.		<u> </u>			
	A23	5,541,087	7/30/96	Lo et al.					
	A24	5,543,297	8/6/96	Cromlish, et al.					
	A25	5,547,933	8/20/96	Lin			<u> </u>		
	A26	5,552,524	09/03/96	Basinski et al.		1			

EXAMINER

A27

5,585,089

12/17/96

DATE CONSIDERED

Queen et al.

5/3/05

FORM P	TO - 1	449		ATTORNEY DOC	KET NO.	LEX-023			
INFORM	IATIO	N DISCLOSURE S	TATEMENT	APPLICANT(S): G	iillies <i>et al</i>	•			
			l	SERIAL NO. 10/737,208 CONF. NO. 6855					
				FILING DATE: D	ecember l	6, 2003	GROUP: 1653		
			U.S. PATEN	r documents			***************************************		
EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE		
44	A28	5,601,819	2/11/97	Wong et al.					
	A29	5,609,846	3/11/97	Goldenberg					
	A30	5,618,698	4/8/97	Lin					
	A31	5,624,821	4/29/97	Winter et al.					
	A32	5,639,725	6/17/97	O'Reilly et al.					
	A33	5,645,835	7/8/97	Fell, Jr. et al.					
	A34	5,650,150	7/22/97	Gillies					
	A35	5,650,492	7/22/97	Gately et al.					
	A36	5,667,776	9/16/97	Zimmerman et al.					
	A37	5,679,543	10/21/97	Lawlis					
	A38	5,688,679	11/18/97	Powell					
	A39	5,691,309	11/25/97	Basinski et al.					
	A40	5,709,859	1/20/98	Aruffo et al.					
	A41	5,719,266	02/17/98	DiMarchi et al.					
	A42	5,723,125	3/3/98	Chang et al.					
	A43	5,726,044	3/10/98	Lo et al.					
	A44	5,728,552	3/17/98	Fujisawa et al.					
	A45	5,733,876	3/31/98	O'Reilly et al.					
	A46	5,756,349	5/26/98	Lin .					
	A47	5,756,461	05/26/98	Stephens					
	A48	5,759,551	6/2/98	Ladd et al.					
	A49	5,770,195	6/23/98	Hudziak et al.					
	A50	5,800,810	9/1/98	Doyle et al.					
	A51	5,807,715	9/15/98	Morrison et al.					
	A52	5,827,516	10/27/98	Urban et al.					
	A53	5,837,682	11/17/98	Folkman et al.					
	A54	5,843,423	12/1/98	Lyman et al.					
EXAMIN	ER /	Jan I	·	DATE CONSIDER	ED 5	3 200	5		

FORM P	TO - 1	449		ATTORNEY DOC	KET NO.	LEX-023			
INFORM	OITAL	N DISCLOSURE	STATEMENT	APPLICANT(S): G	illies <i>et al</i>				
				SERIAL NO. 10/737,208 CONF. NO. 6855					
				FILING DATE: December 16, 2003 GROUP: 1653					
			U.S. PATEN	T DOCUMENTS					
EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE		
14	A55	5,854,205	12/29/98	O'Reilly et al.					
	A56	5,856,298	1/5/99	Strickland					
1	A57	5,858,347	1/12/99	Bauer et al.					
	A58	5,885,795	3/23/99	O'Reilly et al.					
	A59	5,886,178	3/23/99	Allen et al.					
	A60	5,888,772	3/30/99	Okasinski et al.					
	A61	5,891,680	4/6/99	Lieschke et al.					
	A62	5,908,626	6/1/99	Chang et al.					
	A63	5,922,685	7/13/99	Rakhmilevich et al.					
	A64	5,955,422	9/21/99	Lin					
	A65	5,994,104	11/30/99	Anderson et al.			·		
	A66	5,994,126	11/30/99	Steinman et al.					
	A67	6,080,409	6/27/00	Laus et al.					
	A68	6,086,875	7/11/00	Blumberg et al.					
	A69	6,100,387	8/8/00	Herrmann et al.					
	A70	6,169,070	1/2/01	Chen et al.					
	A71	6,171,588	1/9/01	Carron et al.					
	A72	6,231,536	5/15/01	Lentz					
	A73	6,277,375	8/21/01	Ward					
	A74	6,284,536	9/4/01	Morrison et al.					
	A75	6,335,176	1/1/02	Inglese et al.					
	A76	6,340,742	1/22/02	Burg et al.					
	A77	6,348,192	2/19/02	Chan et al.					
	A78	6,406,689	6/18/02	Falkenberg et al.					
	A79	6,429,199	8/6/02	Krieg et al.					
	A80	6,444,792	9/3/02	Gray et al.					
	A81	6,475,717	11/5/02	Enssle et al.					
EXAMIN	ER /	asa sal		DATE CONSIDER	ED 5	3 2005			

FORM P	TO - 14	49		ATTORNEY DOC	KET NO.	LEX-023			
INFORM	OITAL	N DISCLOSURE ST	ATEMENT	APPLICANT(S): G	illies <i>et al</i> .				
			•	SERIAL NO. 10/737,208 CONF. NO. 6855					
				FILING DATE: De	cember 1	5, 2003	GROUP: 1653		
			U.S. PATENT	DOCUMENTS					
EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE		
14	A82	6,485,726	11/26/02	Blumberg et al.					
45	A83	6,500,641	12/31/02	Chen et al.					
	A84	6,506,405	1/14/03	Desai et al.					
	A85	6,551,592	4/22/03	Lindhofer et al.					
	A86	6,583,272	6/24/03	Bailon					
	A87	6,586,398	7/1/03	Kinstler et al.					
	A88	6,617,135	9/9/03	Gillies et al.					
	A89	6,646,113	11/11/03	Dreyfuss et al.					
	A90	2001/0053539	12/20/01	Lauffer et al.					
	A91	2002/0037558	3/28/02	Lo et al.			·		
	A92	2002/0081664	6/27/02	Lo et al.					
	A93	2002/0142374	10/3/02	Gallo et al.					
	A94	2002/0146388	10/10/02	Gillies			·		
	A95	2002/0147311	10/10/02	Gillies et al.			·		
	A96	2002/0192222	12/19/02	Blumberg et al.					
	A97	2002/0193570	12/19/02	Gillies et al.			·		
	A98	2003/0003529	1/2/03	Bayer			·		
	A99	2003/0044423	3/6/03	Gillies et al.					
-	A100	2003/0049227	3/13/03	Gillies et al.			·		
·	A101	2003/0105294	6/5/03	Gillies et al.					
	A102	2003/0012789	1/6/03	Blumberg et al.					
	A103	2003/0139365	7/24/03	Lo et al.					
	A104	2003/0139575	7/24/03	Gillies					
	A105	2003/0157054	8/21/03	Gillies et al.					
	A106	2003/0166163	9/4/03	Gillies					
	A107	2003/0166877	9/4/03	Gillies et al.					
	A108	2004/0013640	1/22/04	Zardi et al.					
EXAMIN	VER /	Jose of	·	DATE CONSIDER	ED 5	3 Ze	<u>.</u>		
<u> </u>		para Ott	2	1		1-1-6	ردن		

FORM P	TO - 1	449		ATTORNEY DOO	KET NO.	LEX-023		
INFORM	1ATIO	N DISCLOSURE	STATEMENT	APPLICANT(S): (Gillies <i>et al</i>	•	·	
		·		SERIAL NO. 10/7	37,208		CONF. NO. 6855	
				FILING DATE: D	ecember l	6, 2003	GROUP: 1653	
			U.S. PATEN	IT DOCUMENTS	······································			
EXAM. INIT.		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE	
AA	A109	2004/0033210	2/19/04	Gillies				
	A110	2004/0043457	3/4/04	Schumacher et al.				
	A111	2004/0053366	3/18/04	Lo et al.				
	A112	2004/0072299	4/15/04	Gillies et al.				
	A113	2004/0082039	Gillies et al.					
EXAMIN	XAMINER Dasa			DATE CONSIDER	ED 5 3	2005		

FORM PTO - 1449

INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO. LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO. 10/737,208 CONF. NO. 6855

FILING DATE: December 16, 2003 GROUP: 1653

		DOCUMENTS.		ON PATENT COUNTRY	CLASS	SUB	FILING	ABSTRACT	ENGLISH
EXAM NIT.		DOCUMENT NUMBER	DATE	CODE	CLASS	CLASS	DATE	ONLY	LANG (Y/N)
14	Bl	0 158 198 A1	10/16/85	EP					Y
1	B2	0 211 769 A2	2/25/87	EP					Y
1	B3	0 256 714 A2	2/24/88	EP					Y
	B4	0 294 703 A2	12/14/88	EP					Y
1	B5	0 308 936 B1	3/29/89	EP					Y
	B6	0 314 317 B1	5/3/89	EP					Υ ·
	B7 .	0 318 554 B1	6/7/89	EP					Y
	B8	0 319 012 A2	6/7/89	EP					Υ.
	В9	0 326 120 B1	8/2/89	EP					Y
	B10	0 350 230 A2	1/10/90	EP					Y
	Bli	0 375 562 B1	6/27/90	EP					Y
	B12	0 396 387 A2	11/7/90	EP					Y
	B13	0 439 095 A2	7/31/91	EP				·	Y
	B14	0 511 747 A1	11/4/92	EP					Y
	B15	0 601 043 B1	6/15/94	EP					Y
	B16	0 640 619 A1	3/1/95	EP					Y
1	B17	0 668 353 A1	8/23/95	EP					Y
	B18	0 706 799 A2	4/17/96	EP					Y
	B19	0 790 309 A1	8/20/97	EP					Y
	B20	1 088 888 A1	4/4/01	EP					Y
	B21	21725/88	3/23/89	AU					Y
*	B22	93100115:3	7/14/93	CN					N
	B23	93100115.3	7/14/93	CN				Y	Y
*	-B24	37 12985 A1	11/2/88	DE					N
	B25	37 12985	11/2/88	DE				Y	Y

FORM PTO - 1449

INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO. LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO. 10/737,208

CONF. NO. 6855

					FILING DA	TE: Dec	ember 16,	2003 GROU	P: 1653
			FOREIG	ON PATE	NT DOCU	MENTS			
EXAM. INIT.		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	FILING DATE	ABSTRACT ONLY	ENGLISH LANG (Y/N)
43	B26	2 292 382 A	2/21/96	GB					Y
*	B27	63-267278	11/4/88	JP					N
1	B28	63-267278	11/4/88	JP				Y	Y
*	.B29	63-267296	11/4/88	JP					N
h	B30	63-267296	11/4/88	JР				Y	Y
	B31	0 237 019 A2	9/16/87	EP				English counterpart of JP 63- 267296	Y
	B32	WO 86/01533	3/13/86	PCT					Y
	B33	WO 88/00052	1/14/88	PCT					Y
	B34	WO 88/09344	12/1/88	PCT					Y
	B35	WO 89/02922	4/6/89	PCT					Y
	B36	WO 89/09620	10/19/89	PCT				Abstract in English	N
	B37	WO 90/03801	4/19/90	PCT					Y
	B38	WO 91/00360	1/10/91	PCT					Y
	B39	WO 91/04329	04/04/91	PCT					Y
~	B40	WO 91/08298	6/13/91	PCT					Y
	B41	WO 91/13166	9/5/91	PCT					Y
	B42	WO 91/14438	10/3/91	PCT					Y
	B43	WO 92/02240	2/20/92	PCT					Y
	B44	WO 92/08495	5/29/92	PCT					Y
	B45	WO 92/08801	5/29/92	PCT					Y
	B46	WO 92/16562	10/1/92	PCT			,		Y
	B47	WO 93/03157	2/18/93	PCT					Y
	B48	WO 93/10229	5/27/93	PCT			ļ		Y
	B49	WO 93/20185	10/14/93	PCT					
EXAMI	NER /	- A		_	DATE	CONSIDE	RED 5/3	2605	

FORM	PTO-	1449

INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO. LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO. 10/737,208 CONF. NO. 6855

FILING DATE: December 16, 2003 GROUP: 1653

EXAM INIT.		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	FILING DATE	ABSTRACT ONLY	ENGLISH LANG (Y/N)
1 4	B50	WO 94/24160	10/27/94	PCT					Y
1	B51	WO 94/25055	11/10/94	РСТ					Y
	B52	WO 95/05468	2/23/95	PCT					Y
	B53	WO 95/21258	8/10/95	PCT					Y
_	B54	WO 95/28427	10/26/95	PCT					Y
_	B55	WO 95/31483	11/23/95	РСТ				·	Y
\top	B56	WO 96/04388	02/15/96	PCT					Y
	B57	WO 96/05309	2/22/96	PCT					Y
_	B58	WO 96/08570	3/21/96	PCT					Y
1	B59	WO 96/18412	6/20/96	PCT					Y .
1	B60	WO 96/31526	10/10/96	PCT					Y
	B61	WO 97/00317	1/3/97	PCT					Y
	B62	WO 97/00319	1/3/97	PCT					Y
	B63	WO 97/15666	5/1/97	PCT					Y
_	B64	WO 97/20062	6/5/97	PCT ·					Y.
	B65	WO 97/24137	7/10/97	PCT					Y
	B66	WO 97/24440	7/10/97	PCT				·	Y
	B67	WO 97/26335	7/24/97	PCT					Y
	B68	WO 97/30089	8/21/97	PCT					Y
	B69	WO 97/33617	9/18/97	PCT					Y
	B70	WO 97/33619	9/18/97	PCT					Y
	B71	WO 97/34631	9/25/97	PCT					Y
	B72	WO 97/43316	11/20/97	PCT					Y
_	B73	WO 98/00127	1/8/98	PCT					Y
	B74	WO 98/06752	2/19/98	PCT					Y
-	B75	WO 98/28427	7/2/98	PCT					Y

FORM PTO – 1449

INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO. LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO. 10/737,208

CONF. NO. 6855

FILING DATE: December 16, 2003 GROUP: 1653

			FOREI	GN PATEN	T DOCU	MENTS			
EXAM INIT.		DOCUMENT NUMBER	DATE	COUNTRY CODE	CLASS	SUB CLASS	FILING DATE	ABSTRACT ONLY	ENGLISH LANG (Y/N)
<u> </u>	B76	WO 98/30706	7/16/98	PCT					Y
(B77	WO 98/46257	10/22/98	PCT		·			Y
	B78	WO 98/59244	12/30/98	PCT					Y
	B79	WO 99/02709	01/21/99	PCT					Y
	B80	WO 99/03887	01/28/99	PCT					Y
	B81	WO 99/29732	6/17/99	PCT					Y
	B82	WO 99/43713	9/2/99	PCT					Y
	B83	WO 99/52562	10/21/99	PCT					Y
	B84	WO 99/53958	10/28/99	PCT		·			Y
	B85	WO 99/60128	11/25/99	PCT					Y
	B86	WO 99/62944	12/09/99	PCT					Y
	B87	WO 99/66054	12/23/99	PCT					Y
	B88	WO 00/11033	3/2/00	PCT	<u> </u>				Y
*	-B89	WO 00/24893	5/4/00	PCT					
	B90	WO 00/34317	06/15/00	PCT				,	Y
	B91	WO 00/40615	7/13/00	PCT					Y
	B92	WO 00/68376	11/16/00	PCT					Y
	B93	WO 00/69913	11/23/00	PCT					Y
	B94	WO 00/78334	12/28/00	PCT					Y
	B95	WO 01/07081	2/1/01	PCT					Y
	B96	WO 01/10912 🗸	2/15/01	PCT					Y
	B97	WO 01/36489	5/25/01	PCT					Y
*	B98	WO 01/58957	8/16/01	PCT			·		
*	<u>B99</u>	WO 02/02143	1/10/02	PCT					
1	B100	WO 02/066514	8/29/02	PCT					Y
*	B101_	WO 02/072605	9/19/02	PCT					

FORM F	PTO - 14	149			ATTORNEY DOCKET NO. LEX-023						
INFORM	INFORMATION DISCLOSURE STATEMENT						T(S): Gill	ies et al.			
					SERIA	LNO). 10/737,	208 (CONF. NO. 68	55	
					FILIN	G DA	TE: Dec	ember 16,	2003 GROU	P: 1653	
	-		FOREIG	GN PATE	NT DO	CUN	MENTS			. · 	
EXAM INIT.		DOCUMENT NUMBER	DATE	COUNTR CODE	Y CL.	ASS	SUB CLASS	FILING DATE	ABSTRACT ONLY	ENGLISH LANG (Y/N)	
*	B102	WO 02/079232	10/10/02	PCT							
*	B103	WO 02/079415	10/10/02	PCT					·		
*	B104	WO 02/090566	11/14/02	PCT							
44	B105	WO 03/015697	2/27/03	PCT						Y	
*	B106	WO 03/048334	6/12/03	PCT							
1	B107	WO 03/077834	9/25/03	PCT						Y	
EXAMINER A					DA	TE C	ONSIDER	ED 5	3 05		

FORM F	·ΤΩ -	1449 -	ATTORNEY DOCKET NO. LEX-023						
			APPLICANT(S): Gillies et al.						
INFORM	ATIC	ON DISCLOSURE STATEMENT							
			SERIAL NO. 10/737,208 CONF. NO. 6855						
			FILING DATE: December 16, 2006 GROUP: 1653						
EXAM.	· · · · · · · · · · · · · · · · · · ·								
INIT.	A CARROLL CONTROL CARLOL AND A CARLOL CONTROL								
43	CI	Abaza et al., (1992), "Effects of Amino Acid Substitutions Outside an Antigenic Site on Protein Binding to Monoclonal Antibodies of Predetermined Specificity Obtained by Peptide Immunization: Demonstration with Region 94-100 (Antigenic Site 3) of Myoglobin," <u>Journal of Protein Chemistry</u> , 11(5):433-444.							
_	C2	Abstract XP-002116766, Lupulescu, (1996), Leukotrienes and Essential Fatty Acids, 54(2	"Prostaglandins, Their Inhibitors and Cancer," <u>Prostaglandins.</u> 2):83-94.						
	C3	Afonso et al., (1994), "The Adjuvant Effect Science, 263:235-237.	of Interleukin-12 in a Vaccine Against Leishmania Major,"						
	C4	Angal et al., (1993), "A Single Amino Acid Mouse/Human (IgG4) Antibody," <u>Molecula</u>	Substitution Abolishes the Heterogeneity of Chimeric r Immunology, 30(1):105-108.						
	C5		ble Protein 10 (IP-10) is an Angiostatic Factor that Inhibits Human origenesis and Spontaneous Metastases," J. Exp. Med., 184:981-						
	C6	Bacha et al., (1988), "Interleukin 2 Receptor a Diphtheria Toxin-related Interleukin 2 Fus	-Targeted Cytotoxicity: Interleukin 2 Receptor-mediated Action of ion Protein," <u>J. Exp. Med.</u> , 167:612-622.						
	C7		d Gene Transfer of an Angiostatin-Endostatin Fusion Protein with Proceedings of the Annual Meeting of the American Association 6 (XP-002089298).						
	C8		erization and Selective Inhibition of Human Prostaglandin G/H rus System," <u>Biochimica et Biophysica Acta</u> , 1209:130-139.						
	C9		nized Anti-HER2 Antibody (Herceptin TM) Enhances the Antitumor nst HER3/neu Overexpressing Human Breast Cancer Xenografts,"						
	C10		FF Fusion Protein Is Effective at Mediating Antibody-dependent endent Cytotoxicity in Vitro," Clinical Cancer Research, 5:4259-						
	C11	Batra et al., (1993), "Insertion of Constant Region Domains of Human IgG1 into CD4-PE40 Increases Its Plasma Half-Life," Molecular Immunology, 30(4):379-386.							
	C12	Becker et al., (1996), "An Antibody-Interleukin 2 Fusion Protein Overcomes Tumor Heterogeneity by Induction of a Cellular Immune Response," <u>Proc. Natl. Acad. Sci. USA</u> , 93:7826-7831.							
	C13	Becker et al., (1996), "Eradication of Human Hepatic and Pulmonary Melanoma Metastases in SCID Mice by Antibody-interleukin 2 Fusion Proteins," <u>Proc. Natl. Acad. Sci. USA</u> , 93:2702-2707.							
	C14	Becker et al., (1996), "Long-lived and Transferable Tumor Immunity in Mice after Targeted Interleukin-2 Therapy," J. Clin. Invest., 98(12):2801-2804.							
	C15	Becker et al., (1996), "T Cell-mediated Erac Interleukin-2 Therapy," J. Exp. Med., 183(5	dication of Murine Metastatic Melanoma Induced by Targeted 60):2361-2366.						
EXAMIN	KAMINER / DATE CONSIDERED 5/3/05								

FORM PTO	- 1449		ATTORNEY DOCKET NO. LEX-023
INFORMAT	TION DISCLOS	SURE STATEMENT	APPLICANT(S); Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
1 1	THER DOCUME	NTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
INIT.		(1005) #T Ni- Co	hexia, Shock, and Inflammation: A Common Mediator," Annual
AL CI	Rev. Biochen	<u>n.,</u> 57:505-518.	
CI	рр. 175-193.		ncer Therapeutics: Experimental and Clinical Agents, Teicher (ed.),
CI		(2002), "Transepithelial Absor ays," <u>Respiratory Drug Deliver</u>	ption of an Erythropoietin-Fc Fusion Protein After Delivery to the y, 8:309-312.
Cı		1985), "Evaluation of Monocloss," Cancer Research, 45:1214-	onal Antibodies for the Development of Breast Cancer 1221.
C		(1997), "Antiangiogenic There Nature, 390:404-407.	apy of Experimental Cancer Does Not Induce Acquired Drug
C		(1998), "Zinc-Binding of End- cal Research Communications,	ostatin Is Essential for Its Antiangiogenic Activity," <u>Biochemical</u> , 252:190-194.
C			ture-Function Relationships: Mutant Proteins that Test a Model of al Chemistry, 268(21):15983-15993.
C		(1974), "Hepatic Clearance of 227(6):1385-1388.	Intact and Desialylated Erythropoietin," American Journal of
C		, (1994), "Integrin α _ν β ₃ Antago Blood Vessels," <u>Cell</u> , 79:1157-	nists Promote Tumor Regression by Inducing Apoptosis of 1164.
C		(1993), "Structural and Biolog Biochemistry and Biophysics, 3	ic Properties of a Human Aspartic Acid-126 Interleukin-2 Analog," 807(2):411-415.
C	Binding (Aci	., (1990), "Possible Dissociation dic Fibroblast) Growth Factor- ysine Residue," <u>Journal of Cel</u>	on of the Heparin-binding and Mitogenic Activities of Heparin- 1 from Its Receptor-binding Activities by Site-directed Mutagenesis Biology, 111:2129-2138.
C	27 Canfield et a by Multiple a 173(6):1483-	Amino Acids in the CH2 Doma	ty of Human IgG for its High Affinity Fc Receptor is Determined iin and Is Modulated by the Hinge Region," <u>J. Exp. Med.</u>
C			man Angiostatin: Characterization of the Anti-Proliferative Activity gical Chemistry, 271(46):29461-29467.
С		997), "Kringle 5 of Plasminogo hemistry, 272(36):22924-2292	en is a Novel Inhibitor of Endothelial Cell Growth," <u>The Journal of</u> 8.
С	Capon et al.,	(1989), "Designing CD4 Imm	unoadhesins for AIDS Therapy," Nature, 337:525-531.
C	1 .	•	onal Implications of a Restricted Antibody Response to a Defined emagglutinin," The EMBO Journal, 5(7):1577-1587.
C			ny Production by Natural Killer Cell Stimulatory Factor: d Synergy with Other Inducers," <u>J. Exp. Med.</u> , 173: 869-879.
EXAMINE	2/	ч	DATE CONSIDERED 5 3 65

FOR	м рт	'O – 1	1449	ATTORNEY DOCKET NO. LEX-023
INFO)RMA	ATIO	N DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
				SERIAL NO. 10/737,208 CONF. NO. 6855
				FILING DATE: December 16, 2006 GROUP: 1653
EXA	м. (отн	ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
INIT				
Ay	1	C33	Oncology, 5:385-390.	rin-2 as an Immunotherapeutic Agent," Seminars in Surgical
1	•	C34	Biological Chemistry, 271(23):13349-1335	
		C35	a Mouse-Human Chimeric Antibody," Cano	
	ľ	C36	Exotoxin Hybrid Protein," Nature, 335:370-	
		C37	to Pseudomonas Exotoxin," Nature, 339:39	
		C38	Chen et al., (1997), "Eradication of Murine Adenoviral Vector Carrying cDNAs for the Homodimer," <u>Journal of Immunology</u> , 1590	Bladder Carcinoma by Intratumor Injection of a Bicistronic IL-12 Heterodimer and Its Inhibition by the IL-12 p40 Subunit (1):351-358.
		C39	Cheon et al., (1994), "High-affinity Binding Different Receptor Immunoglobulin-like D	g Sites for Related Fibroblast Growth Factor Ligands Reside Within omains," <u>Proc. Natl. Acad. Sci. USA</u> , 91: 989-993.
		C40	Chuang et al., (1993), "Effect of New Invest Human Lymphocytes," Gynecologic Oncol	stigational Drug Taxol on Oncolytic Activity and Stimulation of ogy, 49:291-298.
		C41	Chuang et al., (1994), "Alteration of Lymph Anticancer Drug Taxol," Cancer Research,	hocyte Microtubule Assembly, Cytotoxicity, and Activation by the 54:1286-1291.
		C42	Cohen et al., (1996), "Human Leptin Chara	cterization," Nature, 382:589.
		C43	Cole et al., (1997), "Human lgG2 Variants Immunology, 159:3613-3621.	of Chimeric Anti-CD3 Are Nonmitogenic to T Cells," Journal of
		C44	Collins et al., (1988), "Identification of Spe 70-kDa Subunit (p70) of the Interleukin 2 l	ecific Residues of Human Interleukin 2 That Affect Binding to the Receptor," Proc. Natl. Acad. Sci. USA, 85:7709-7713.
		C45	Colombo et al., (1996), "Amount of Interle Regression," Cancer Research, 56:2531-25	ukin 12 Available at the Tumor Site is Critical for Tumor 34.
		C46	Conner et al., (2004), "Ex vivo Evaluation Immunotherapy, 27:211-219.	of Anti-EpCAM Immunocytokine huKS-IL2 in Ovarian Cancer," <u>J.</u>
		C47	Cruse et al., (eds.), (1995), <u>Illustrated Dict</u>	ionary of Immunology, pp.156-158, CRC Press, NY.
		C48	D'Amato et al., (1994), "Thalidomide is an 4085.	Inhibitor of Angiogenesis," Proc. Natl. Acad. Sci. USA. 91:4082-
		C49	D'Andrea et al., (1992), "Production of Na Blood Mononuclear Cells," J. Exp. Med.,	atural Killer Cell Stimulatory Factor (Interleukin 12) by Peripheral 176:1387-1398.
EX	AMIN	ER	Man H	DATE CONSIDERED 5/2/05
<u> </u>				

FORM I	- OT	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	MATIC	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
ı			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM.	отні	ER DOCUMENTS: (Including Author, Tit	tle, Date, Relevant Pages, Place of Publication)
INIT.			
4	C50	Darling et al., (2002), "Glycosylation of Ery Electrostatic Interactions," Biochemistry, 41	thropoietin Affects Receptor Binding Kinetics: Role of::14524-14531.
1	C51	Davis et al., (2003), "Immunocytokines: An Immunother., 52:297-308.	plification of Anti-cancer Immunity," Cancer Immunol.
	C52	de la Salle et al., (1996), "FcyR on Human I Winkel et al. (eds.), R.G. Landes Co.	Dendritic Cells," in <u>Human IgG Receptors</u> , pp. 39-55, van de
	C53	Ding et al., (1988), "Zinc-Dependent Dimer Sci. USA, 95:10443-10448.	s Observed in Crystals of Human Endostatin," Proc. Natl. Acad.
	C54	Dolman et al., (1998), "Suppression of Hum Immunodeficient Mice by Interleukin 2 Imm	nan Prostate Carcinoma Metastases in Severe Combined nunocytokine Therapy," Clin. Cancer Research., 4(10):2551-2557.
	C55	Dorai et al., (1991), "Aglycosylated Chimer Hybridoma, 10(2):211-217.	ic Mouse/Human IgG1 Antibody Retains Some Effector Function,"
	C56	Dorai et al., (1992), "Role of Inter-Heavy a Human IgG1," <u>Molecular Immunology</u> , 29(nd Light Chain Disulfide Bonds in the Effector Functions of 12):1487-1491.
	C57	Duncan et al., (1988), "The Binding Site for	r Clq on lgG," <u>Nature</u> , 332:738-740.
	C58	Earnest et al., (1992), "Piroxicam and Other Chemoprevention," <u>J. Cell. Biochem., Supp</u>	Cyclooxygenase Inhibitors: Potential for Cancer 1, 161:156-166.
	C59	Egrie et al., (2001), "Development and Cha Nephrol, Dial, Transplant., 16(Supp 3):3-13	racterization of Novel Erythropoiesis Stimulating Protein (NESP),"
	C60	Eisenthal, (1990), "Indomethacin Up-regula and Antibody-dependent Cellular Cytotoxic 31:342-348.	ates the Generation of Lymphokine-Activated Killer-cell Activity City Mediated by Interleukin-2," <u>Cancer Immunol. Immunother.</u> ,
	C61	Elliott et al., (1996), "Fine-Structure Epitop Model of Recombinant Human Erythropoie	ne Mapping of Antierythropoietin Monoclonal Antibodies Reveals a stin Structure," <u>Blood</u> , 87(7):2702-2713.
	C62	Elliott et al., (1997), "Mapping of the Activ 502.	e Site of Recombinant Human Erythropoietin," <u>Blood</u> , 89(2):493-
	C63	Fell et al., (1991), "Genetic Construction at F(ab') with Specificity for Carcinomas and	nd Characterization of A Fusion Protein Consisting of a Chimeric Human IL-2," J. Immunology, 146(7):2446-2452.
	C64	Fell et al., (1992), "Chimeric L6 Anti-tumo Characterization of the Antigen Binding Si	r Antibody: Genomic Construction, Expression, and te," <u>J. Biological Chemistry</u> , 267:15552-15558.
	C65	Fibi et al., (1995), "N- and O-Glycosylation BHK-21 Cells," <u>Blood</u> , 85(5):1229-1236.	n Muteins of Recombinant Human Erythropoietin Secreted From
1	C66	Friedman et al., (1998), "Leptin and the Re	gulation of Body Weight in Mammals," Nature, 395:763-770.
EXAMI	NER/	1-4	DATE CONSIDERED 5/3/05

FORM I	- OT	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	MATIC	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM. INIT.	ОТНІ	ER DOCUMENTS: (Including Author, Tit	lle, Date, Relevant Pages, Place of Publication)
An	C67	Frost et al., (1997), "A Phase I/IB Trial of N in Children with Refractory Neuroblastoma,	furine Monoclonal Anti-GD2 Antibody 14.G2a Plus Interleukin-2 "Cancer, 80(2):317-333.
	C68	Gan et al., (1999), "Specific Enzyme-linked Fusion Proteins," <u>Clinical and Diagnostic Letters</u>	Immunosorbent Assays for Quantitation of Antibody-cytokine aboratory Immunology, 6(2):236-42.
	C69	Gasson et al., (1984), "Purified Human Grad Neutrophils," <u>Science</u> , 226:1339-1342.	nulocyte Macrophage Colony-Stimulating Factor: Direct Action on
	C70	Gately et al., (1998), "The Interleukin-12/In Immune Responses," Annu. Rev. Immunol.	terleukin-12-Receptor System: Role in Normal and Pathologic , 16:495-521.
	C71	Gillessen et al., (1995), "Mouse Interleukin- Immunol., 25:200-206.	12 (IL-12) p40 Homodimer: A Potent IL-12 Antagonist," Eur. J.
	C72	Gillies et al., (1989), "Expression of Human Cells," <u>Bio/Technology</u> , 7:799-804.	Anti-Tetanus Toxoid Antibody in Transfected Murine Myeloma
	C73	Gillies et al., (1989), "High-Level Expression Cassettes," J. Immunol. Methods, 125:191-	on of Chimeric Antibodies Using Adapted cDNA Variable Region 202.
	C74	Gillies et al., (1990), "Antigen Binding and with Human Turnor Specificities," Hum. A	Biological Activities of Engineered Mutant Chimeric Antibodies ntibod. Hybridomas, 1(1):47-54.
	C75	Gillies et al., (1991), "Expression of Geneti Chimeric Anti-ganglioside GD2 Antibody,"	cally Engineered Immunoconjugates of Lymphotoxin and a <u>Hybridoma.</u> , 10(3):347-56.
	C76	Gillies et al., (1991), "Targeting Human Cy Factor Receptor-Bearing Tumor Cells: Tum Antibody," <u>J. Immunology</u> , 146(3):1067-10	totoxic T Lymphocytes to Kill Heterologous Epidermal Growth for-Infiltrating Lymphocyte/Hormone Receptor/Recombinant 171.
	C77	Gillies et al., (1992), "Antibody-Targeted In Proc. Natl. Acad. Sci. USA, 89:1428-1432.	nterleukin 2 Stimulates T-Cell Killing of Autologous Tumor Cells,"
	C78	Gillies et al., (1993), "Biological Activity a Proteins," <u>Bioconjugate Chem.</u> , 4(3):230-2:	nd <i>In Vivo</i> Clearance of Antitumor Antibody/Cytokine Fusion 35.
	C79	Gillies et al., (1998), "Antibody-IL-12 Fusi Colon Carcinoma Metastases," J. Immunole	on Proteins are Effective in SCID Mouse Models of Prostate and ogy, 160:6195-6203.
	C80	Gillies et al., (1999), "Improving the Effica Interaction with Fc Receptors," Cancer Res	cy of Antibody-Interleukin 2 Fusion Proteins by Reducing Their <u>earch</u> , 59:2159-2166.
	C81	Gillies et al., (2002), "Bi-functional Cytoki Treatment of Cancer," <u>Cancer Immunol. In</u>	ne Fusion Proteins for Gene Therapy and Antibody-targeted nmunother., 51(8):449-60.
	C82	Gillies et al., (2002), "Improved Circulating Immunocytokine Based on Reduced Intrace	g Half-life and Efficacy of an Antibody-interleukin 2 ellular Proteolysis," <u>Clin. Cancer Research</u> , 8(1):210-216.
	C83	Gillis et al., (1978), "T Cell Growth Factor Activity," J. Immunology, 120(6):2027-203	Parameters of Production And A Quantitative Microassay for 32.
EXAMI	NER /		DATE CONSIDERED 5 2/05

FORM I	TO – 1	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	/ATIO	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM.	ОТНЕ	ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
INIT.	1	Contain at (1096) (Tumor Necessis Fo	ctors: Gene Structure and Biological Activities," Cold Spring Harb.
43	C84	Symp. Quant. Biol., 51:597-609.	
1	C85	Natl. Acad. Sci. USA, 72(12):4923-4927.	of Hybrid Neuroblastoma X Sympathetic Ganglion Cells," <u>Proc.</u>
	C86	269(4):986-990.	cytic Interferon," English Translation of <u>Dokl, Akad, Nauk, SSSR.</u> ,
	C87		nced Apoptosis Decompresses Blood Vessels and Lowers Interstitial plications," Cancer Research, 59:3776-3782.
	C88	Grimaldi et al., (1989), "The t(5;14) Chrom Joins the Interleukin-3 Gene to the Immuno	osomal Translocation in a Case of Acute Lymphocytic Leukemia globulin Heavy Chain Gene," <u>Blood</u> , 73(8):2081-2085.
	C89	Guyre et al., (1997), "Increased Potency of 45:146-148.	Fc-receptor-targeted Antigens," Cancer Immunol, Immunother.,
	C90	Hammerling et al., (1996), "In Vitro Bioass an Erythroid Cell Line and Analysis of Cart Pharmaceutical and Biomedical Analysis, 1	ay for Human Erythropoietin Based on Proliferative Stimulation of pohydrate-dependent Microheterogeneity," <u>Journal of</u> 4:1455-1469.
	C91	Handgretinger et al., (1995), "A Phase I Stuch 14.18 in Patients with Neuroblastoma," E	dy of Human/Mouse Chimeric Anti-ganglioside GD2 Antibody auropean J. Cancer, 31A(2):261-267.
	C92	Hank et al., (1996), "Activation of Human I GD2 Interleukin-2 Fusion Protein (ch14.18	Effector Cells by a Tumor Reactive Recombinant Anti-ganglioside - LL2)," Clin Cancer Research, 2(12):1951-1959.
	C93	ganglioside Antibody-interleukin-2 Immun	Serum Levels and Immune Response to the Humanized Anti- ocytokine," in <u>Methods in Molecular Medicine, Vol. 85: Novel</u> al., (eds.), pp. 123-131, Humana Press Inc., Totowana, NJ.
	C94		nase Gene by Expression Cloning of GM3 α-2,8-sialyltransferase dy," Proc. Natl. Acad. Sci. USA, 91(22):10455-10459.
	C95	Harris et al., (1993), "Therapeutic Antibodi	es - the Coming of Age," <u>Trends in Biotechnology</u> , 11:42-44.
	C96	Harris, (1995), "Processing of C-terminal L Cell Culture," <u>J. Chromatography A</u> , 705:1	ysine and Arginine Residues of Proteins Isolated from Mammalian 29-134.
	C97	Harvill et al., (1995), "An IgG3-IL2 Fusion Activity and Shows Enhanced Binding to the	Protein Activates Complement, Binds FcyRI, Generates LAK ne High Affinity IL-2R," Immunotechnology, 1:95-105.
	C98	Harvill et al., (1996), "In Vivo Properties of Potentiation," J. Immunology, 157(7):3165	f an IgG3-IL-2 Fusion Protein: A General Strategy for Immune -3170.
	C99	Hazama et al., (1993), "Adjuvant-Independ Virus Type 1 Glycoprotein D by Fusion wi	lent Enhanced Immune Responses to Recombinant Herpes Simplex th Biologically Active Interleukin-2," <u>Vaccine</u> , 11(6):629-636.
	C100	He et al., (1998), "Humanization and Pharmand P-Selectin," J. Immunology, 160:1029	nacokinetics of a Monoclonal Antibody with Specificity for Both E-1035.
EXAMI	NER		DATE CONSIDERED 5/3/05
·			1 1 2

FORM F	TO - 1	449	ATTORNEY DOCKET NO. LEX-023
INFORM	1ATIO	N DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM.	отне	CR DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
INIT.			C. H F. BIODO Times Enhanced
J.H	C101	Antibody Responses in Transgenic Mice," J	
7	C102	Heinzel et al., (1997), "In Vivo Production a 158:4381-4388.	and Function of IL-12 p40 Homodimers," <u>J. Immunology.</u>
	C103	Hellstrom et al., (1986), "Antitumor Effects Carcinomas," <u>Proc. Natl. Acad. Sci. USA</u> , 8	of L6, an IgG2a Antibody that Reacts with Most Human 3: 7059-7063.
	C104	Henkart, (1985), "Mechanism of Lymphocy	te-Mediated Cytotoxicity," Ann. Rev. Immunol., 3:31-58.
	C105	Herrmann et al., (1989), "Hematopoietic Re Human Granulocyte-Macrophage Colony-S	sponses With Advanced Malignancy Treated With Recombinant timulating Factor," <u>Journal of Clinical Oncology</u> , 7(2):159-167.
	C106	Hezareh et al., (2001), "Effector Function A against Human Immunodeficiency Virus Ty	ctivities of a Panel of Mutants of a Broadly Neutralizing Antibody rpe 1," J. Virology, 75(24):12161-12168.
	C107	Hohenester et al., (1998), "Crystal Structure EMBO Journal, 17(6):1656-1664.	e of the Angiogenesis Inhibitor Endostatin at 1.5 Å Resolution,"
	C108	Holden et al., (2001), "Augmentation of An Chemotherapeutic Agents," <u>Proceedings of No. 3675 (XP-002195344)</u> .	ti-Tumor Activity of KS-IL2 Immunocytokine with the American Association for Cancer Research, 42:683, Abstract
	C109	Holden et al., (2001), "Augmentation of An with Chemotherapeutic Agents," Clinical C	titumor Activity of an Antibody-Interleukin 2 Immunocytokine ancer Research, 7:2862-2869.
	C110	Hoogenboom et al., (1991), "Construction a Proteins," Molecular Immunology, 28(9):10	and Expression of Antibody-tumor Necrosis Factor Fusion 027-1037.
	CIII	Hoogenboom et al., (1991), "Targeting of 1 of a Genetically Engineered Antibody-Turn 1096(4):345-354 (Abstract).	Fumor Necrosis Factor to Tumor Cells Secretion by Myeloma Cells nor Necrosis Factor Hybrid Molecule," <u>Biochim. and Biophys. Acta.</u>
	C112	Hornick et al., (1999), "Pretreatment with a Against DNA Enhances the Delivery of Th 60.	Monoclonal Antibody/Interleukin-2 Fusion Protein Directed erapeutic Molecules to Solid Tumors," Clin. Cancer Research, 5:51-
	C113	Hu et al., (1996), "A Chimeric Lym-1/Inter and Enhancing Antibody Uptake," Cancer	rleukin 2 Fusion Protein for Increasing Tumor Vascular Permeability Research, 56:4998-5004.
	C114		Immunoglobulin Gamma 3 Heavy Chain Constant Region Gene: nes," Nucleic Acids Research, 14(4):1779-1789.
	C115	Hurn et al., (1980), "Production of Reagent	t Antibodies," Methods in Enzymology, 70: 104-142.
	C116	Huse et al., (1989), "Generation of a Large Lambda," Science, 246:1275-1281.	Combinatorial Library of the Immunoglobulin Repertoire in Phage
	C117	Idusogie et al., (2000), "Mapping of the CligG1 Fc," J. Immunology, 164(8):4178-41	lq Binding Site on Rituxan, a Chimeric Antibody with a Human 84.
EXAMI	NER /	land	DATE CONSIDERED 5/3/05
			1 / 10

FORM I	PTO -	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	OITAN	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM.	отн	ER DOCUMENTS: (Including Author, Tit	ile, Date, Relevant Pages, Place of Publication)
INIT.			C) LS Musica Adamanania ma Con Change the
(H)	C118	Imboden et al., (2001), "The Level of MHC Antitumor Effector Mechanism of Immunoc	Class I Expression on Murine Adenocarcinoma Can Change the cytokine Therapy," Cancer Research, 61(4):1500-7.
1	C119	Ingber et al., (1990), "Synthetic Analogues of Growth," Nature, 348:555-557.	of Fumagillin that Inhibit Angiogenesis and Suppress Tumour
	C120	Isenman et al., (1975), "The Structure and F Interchain Disulfide Bonds and the Possible Immunoglobulin G and Complement," <u>J. Im</u>	unction of Immunoglobulin Domains: II. The Importance of Role of Molecular Flexibility in the Interaction between munology, 114(6):1726-1729.
	C121	Jones et al., (1986), "Replacing the Completer from a Mouse," Nature, 321:522-525.	mentarity-determining Regions in a Human Antibody with Those
	C122	Ju et al., (1987), "Structure-Function Analyst for Biological Activity," <u>Journal of Biological</u>	sis of Human Interleukin-2: Identification of Amino Acid Residues cal Chemistry, 262(12):5723-5731.
	C123	Jung et al., (1986), "Activation of Human Parget Cells Coated with Anti-target-anti-T	eripheral Blood Mononuclear Cells by Anti-T3: Killing of Tumor 3 Conjugates," <u>Proc. Natl. Acad. Sci. USA</u> , 83:4479-4483.
	C124		ceptor of IgG Catabolism is the B2-microglobulin-containing oc. Natl. Acad. Sci. USA., 93(11):5512-5516.
	C125	Kang et al., (1991), "Antibody Redesign by Libraries," <u>Proc. Natl. Acad. Sci. USA</u> , 88:1	Chain Shuffling from Random Combinatorial Immunoglobulin 11120-11123.
	C126	Kappel et al., (1992), "Regulating Gene Exp Biotechnology, 3:548-553	pression in Transgenic Animals," <u>Current Opinion in</u>
	C127	Kato et al., (1997), "Mechanism for the Nor Pharmacology and Experimental Therapeut	nlinear Pharmacokinetics of Erythropoietin in Rats," <u>The Journal of ics</u> , 283:520-527.
	C128	Kato et al., (1998), "Pharmacokinetics of En Disposition, 26(2):126-131.	ythopoietin in Genetically Anemic Mice," <u>Drug Metabolism and</u>
	C129		rget-Specific Effector Cells using Hetero-Cross Linked Aggregate eceptor Antibodies," <u>Journal of Experimental Medicine.</u>
	C130	Kendra et al., (1999), "Pharmacokinetics an Cancer Immunol, Immunother., 48:219-229	nd Stability of the ch14.18-Interleukin-2 Fusion Protein in Mice,"
	C131		usion Protein is More Effective than Ovalbumin Plus Free Cell Type 1-dominated Immune Response and Inhibiting Antigen- 158(9):4137-4144.
	C132		ljuvants Modulate Immune Responses Induced by DNA Vaccine Interferon and Cytokine Research, 19:77-84.
	C133	• · · · · · · · · · · · · · · · · · · ·	Characterization of a Unique Human Cell Line that Proliferates poietin," <u>Journal of Cellular Physiology</u> , 140:323-334.
EXAMI	NER	Jan Hy	DATE CONSIDERED 5/3/05

FORM I	TO-	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	ATIC	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
	,		FILING DATE: December 16, 2006 GROUP: 1653
EXAM. INIT.	ОТНІ	ER DOCUMENTS: (Including Author, Tit	tle, Date, Relevant Pages, Place of Publication)
1	C134	Ko et al., (2004), "Safety, Pharmacokinetics	, and Biological Pharmacodynamics of the Immunocytokine EMD
44	-	273066 (huKS-IL2)," J. Immunotherapy, 27	
1	C135		i-receptor Antibody to Non-target Cells Renders Them Susceptible cytes," Proc. Natl. Acad. Sci. USA, 81:7922-7926.
	C136	Kuo et al., (2001), "Oligomerization-depend XVIII NC1/Endostatin Domain," <u>Journal of</u>	lent Regulation of Motility and Morphogenesis by the Collagen Cell Biology, 152(6):1233-1246.
	C137		Anti-GD2 Monoclonal Antibody 3F8 and Granulocyte- Neuroblastoma," <u>J. Clinical Oncology</u> , 19(22):4189-94.
	C138	LaVallie et al., (1993), "Cloning and Functi Bovine Enterokinase," <u>Journal of Biologica</u>	onal Expression of a cDNA Encoding the Catalytic Subunit of Chemistry, 268(31):23311-23317.
	C139	Lazar et al., (1988), "Transforming Growth Different Biological Activities," <u>Molecular</u>	Factor a: Mutation of Aspartic Acid 47 and Leucine 48 Results in and Cellular Biology, 8(3):1247-1252.
	C140	LeBerthon et al., (1991), "Enhanced Tumor Interleukin 2 Immunoconjugate," Cancer Re	Uptake of Macromolecules Induced by a Novel Vasoactive esearch, 51:2694-2698.
	C141	Lieschke, et al., (1997), "Bioactive Murine Activity In Vivo," <u>Nature Biotechnology</u> , 1	and Human Interleukin-12 Fusion Proteins which Retain Antitumor 5(1):35-40.
	C142	Linsley et al., (1991), "CTLA-4 is a Second 174(3):561-569.	Receptor for B Cell Activation Antigen B7," J. Exp. Med.,
	C143	Liu et al., (1985), "Heteroantibody Duplexe Acad. Sci. USA, 82:8648-8652.	s Target Cells for Lysis by Cytotoxic T Lymphocytes," Proc. Natl.
	C144	Liu et al., (1988), "Hormone Conjugated w Melanoma Cells," <u>Science</u> , 239:395-398.	ith Antibody to CD3 Mediates Cytotoxic T Cell Lysis of Human
	C145		G Oligodeoxynucleotides Enhance the Immune Response to Vaccine age Colony-Stimulating Factor," <u>Blood</u> , 92(10):3730-3736.
	C146	Lo et al., (1992), "Expression and Secretion Hum, Antibod, Hybridomas, 3:123-128.	of an Assembled Tetrameric CH2-deleted Antibody in E. Coli.,"
	C147	Lo et al., (1998), "High Level Expression a Engineering, 11(6):495-500.	nd Secretion of Fc-X Fusion Proteins in Mammalian Cells," <u>Protein</u>
	C148	Locatelli et al., (2001), "Darbepoetin alfa A	amgen," Current Opinion in Investigational Drugs, 2:1097-1104.
	C149	Lode et al., (1997), "Targeted Interleukin-2 Marrow," J. Natl. Cancer Inst., 89(21):1586	Therapy for Spontaneous Neuroblastoma Metastases to Bone 6-94.
	C150	Lode et al., (1998), "Immunocytokines: A 80(3):277-292.	Promising Approach to Cancer Immunotherapy," Pharmacol. Ther.,
EXAMI	NER /	land -	DATE CONSIDERED 5/3/05
<u> </u>		1	,

FORM I	- OT	1449	ATTORNEY DOCKET NO. LEX-023
INFORM	AT10	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM. INIT.	отн	ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
14	C151	Lode et al., (1998), "Natural Killer Cell-Med by Targeted Interleukin-2 Therapy," <u>Blood</u> ,	diated Eradication of Neuroblastoma Metastases to Bone Marrow 91(5):1706-1715.
(C152		ntiangiogenic Integrin α _ν Antagonist and an Antibody-cytokine or Metastases," <u>Proc. Natl. Acad. Sci. USA</u> , 96:1591-1596.
	C153	Lode et al., (1999), "Tumor-targeted IL-2 Al Therapy with Single-chain IL-12," <u>Proc. Na</u>	mplifies T Cell-mediated Immune Response Induced by Gene tl. Acad. Sci. USA, 96:8591-8596.
	C154	Lode et al., (2000), "Amplification of T Cell Proteins," <u>Immunological Investigations</u> , 29	Mediated Immune Responses by Antibody-Cytokine Fusion (2):117-120.
	C155	Lode et al., (2000), "What To Do With Targ	eted IL-2," <u>Drugs of Today</u> , 36(5):321-336.
	C156	Lode et al., (2000), "Melanoma Immunother by CD40/CD40L Interaction," J. Clin. Inves	apy by Targeted IL-2 Depends on CD4(+) T-cell Help Mediated t., 105(11):1623-30.
	C157	Macdougall, (2002), "Optimizing the Use of Considerations," Nephrol. Dial. Transplant.,	Erythropoietic Agents—Pharmacokinetic and Pharmacodynamic 17(Supp 5):66-70.
	C158	Maecker et al., (1997), "DNA Vaccination v Ovalbumin," <u>Vaccine</u> , 15(15):1687-1696.	vith Cytokine Fusion Constructs Biases the Immune Reponse to
	C159	•	al Using Escalating Single-Dose Infusion of Chimeric Anti-CD20 ents with Recurrent B-Cell Lymphoma," <u>Blood</u> , 84(8):2457-2466.
	C160	Mark et al., (1992), "Expression and Charac Proteins," <u>Journal of Biological Chemistry</u> ,	terization of Hepatocyte Growth Factor Receptor-IgG Fusion 267(36):26166-26171.
	C161		it In Vivo the CD8-Mediated Immune Response Against Murine erleukin-12 Genes," Eur. J. Immunol. 25:137-146.
	C162	Medesan et al., (1997), "Delineation of the A Mouse IgG1," <u>J. Immunology</u> , 158(5):2211-	Amino Acid Residues Involved in Transcytosis and Catabolism of 2217.
	C163	Protein Facilitates Neutrophil Antibody-dep	side/granulocyte Macrophage-colony-stimulating Factor Fusion endent Cellular Cytotoxicity and Depends on FcyRII (CD32) and or Cell Adhesion and Azurophil Granule Exocytosis," <u>Blood</u> ,
	C164	Mestre et al., (1997), "Retinoids Suppress E 2 in Human Oral Squamous Carcinoma Cell	pidermal Growth Factor-induced Transcription of Cyclooxygenases," <u>Cancer Research</u> , 57:2890-2895.
	C165	Mosmann et al., (1989), "TH1 and TH2 Cel Functional Properties," <u>Ann. Rev. Immunol</u>	ls: Different Patterns of Lymphokine Secretion Lead to Different , 7:145-173.
	C166	Mott et al., (1995), "The Solution Structure 247:979-994.	of the F42A Mutant of Human Interleukin 2," <u>J. Mol. Biol.</u>
	C167	Mueller et al., (1990), "Enhancement of Ant Antibody," <u>J. Immunology</u> , 144(4):1382-13	ibody-Dependent Cytotoxicity With A Chimeric Anti-GD2 86
EXAMIN	ER		DATE CONSIDERED 5/2/05
	-	σ^{-}	

FORM	PTO –	1449	ATTORNEY DOCKET NO. LEX-023
INFOR	MATIO	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
			SERIAL NO. 10/737,208 CONF. NO. 6855
			FILING DATE: December 16, 2006 GROUP: 1653
EXAM. INIT.	ОТН	ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
44	C168		Tumor Localization of a Chimeric Antibody Deleted of the CH2 nglioside GD2," Proc. Natl. Acad. Sci. USA., 87:5702-5705.
	C169	l ·	VCAM-specific Monoclonal Antibodies with Chimeric IgG2/G4 Binding to Porcine Endothelial Cells," Molecular Immunology,
	C170	Mullins et al., (1997), "Taxol-mediated Charof Antitumor Activities," Cancer Immunol,	nges in Fibrosarcoma-induced Immune Cell Function: Modulation Immunother, 45:20-28.
	C171	Mullins et al., (1998), "Interleukin-12 Overc Immunopharmacol, Immunotoxicol, 20(4):4	omes Paclitaxel-mediated Suppression of T-cell Proliferation," 173-492.
	C172		n, Expression, and Melanoma-selective Cytotoxicity of a ulating Hormone Fusion Protein," Proc. Natl. Acad. Sci. USA,
	C173		Hormone Gene Fusions: A Molecular Gene Approach to oxins, pp. 123-140, Frankel (ed.), Kluwer Acad. Pub.
	C174		ial of Chimeric and Murine Anti-(Epidermal Growth Factor for Human Melanoma," <u>Cancer Immuno. Immunother.</u> , 37:343-
	C175	Naramura et al., (1994), "Mechanisms of Ce Fusion Protein Against Human Melanoma C	Ilular Cytotoxicity Mediated by a Recombinant Antibody-IL2 ells," Immunology Letters, 39:91-99.
	C176	· ·	stomas Express Increased Levels of MHC Class I Antigens upon notherapy," Cancer Immunol. Immunother., 53:41-52.
	C177	Nedwin et al., (1985), "Human Lymphotoxii Chromosomal Localization," <u>Nucleic Acids</u>	n and Tumor Necrosis Factor Genes: Structure, Homology and Research, 13(17):6361-6373.
	C178	Netti et al., (1995), "Time-dependent Behave Drug Delivery," <u>Cancer Research</u> , 55:5451-:	or of Interstitial Fluid Pressure in Solid Tumors: Implications for 5458.
	C179	Netti et al., (1999), "Enhancement of Fluid F Macromolecules," <u>Proc. Nat. Acad. Sci. US</u>	Filtration Across Tumor Vessels: Implication for Delivery of 4, 96:3137-3142.
	C180	Neuberger et al., (1984), "Recombinant Anti- 608.	bodies Possessing Novel Effector Functions," Nature, 312:604-
	C181		ity, Protein Structure Prediction, and the Levinthal Paradox," in tructure Prediction, Merz et al. (eds.), pp. 433-440 and 492-495,
	C182		accine Against Human Carcinoembryonic Antigen (CEA) Prevents arcinoma in CEA Transgenic Mice," Vaccine, 20:421-429.
EXAMIN	ER	Gan Al	DATE CONSIDERED 5/3/05

APPLICANT(S): Gillies et al. SERIAL NO. 10/737,208 CONF. NO. 6855 FILING DATE: December 16, 2006 GROUP: 1653 EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) NITT. C183 Niethammer et al., (2001) "Targeted Interleukin 2 Therapy Enhances Protective Immunity Induced by an Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimitz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328. C186 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C199 Parts et al., (1988), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Ispecific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-13 Crossiinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-13 Crossiinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C194 Pertl et al., (2000), "Immunology, 142(10):3663-3667. C195 Polizzi et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergisti	FORM I	PTO - 1	1449	ATTORNEY DOCKET NO. LEX-023
FILING DATE: December 16, 2006 GROUP: 1653 EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C183 Niethammer et al., (2001) "Targeted Interleukin 2 Therapy Enhances Protective Immunity Induced by an Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimtz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," "Bur. J. Biochem., 213:79-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1988), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1999), "Potential of Genetic	INFORM	MATIO	ON DISCLOSURE STATEMENT	APPLICANT(S): Gillies et al.
OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C183 Niethammer et al., (2001) "Targeted Interleukin 2 Therapy Enhances Protective Immunity Induced by an Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimtz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell. 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targetting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability				SERIAL NO. 10/737,208 CONF. NO. 6855
NITT. C183 Niethammer et al., (2001) "Targeted Interleukin 2 Therapy Enhances Protective Immunity Induced by an Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimtz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell. 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell. 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1988), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1988), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression				FILING DATE: December 16, 2006 GROUP: 1653
C183 Niethammer et al., (2001) "Targeted Interleukin 2 Therapy Enhances Protective Immunity Induced by an Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimtz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol, Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Percz et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Percz et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc	EXAM.	отн	ER DOCUMENTS: (Including Author, Tit	le, Date, Relevant Pages, Place of Publication)
Autologous Oral DNA Vaccine against Murine Melanoma," Cancer Research, 61(16):6178-84. C184 Nimtz et al., (1993), "Structures of Sialylated Oligosaccharides of Human Erythropoietin Expressed in Recombinant BHK-21 Cells," Eur. J. Bjochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell., 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell. 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1997), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Canc	INIT.			D. C.
Recombinant BHK-21 Cells," Eur. J. Biochem., 213:39-56. C185 O'Reilly et al., (1994), "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma," Cell. 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell. 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894.	14	C183	Niethammer et al., (2001) "Targeted Interlet Autologous Oral DNA Vaccine against Mur	ine Melanoma," Cancer Research, 61(16):6178-84.
Metastases by a Lewis Lung Carcinoma," Cell, 79:315-328. C186 O'Reilly et al., (1996), "Angiostatin Induces and Sustains Dormancy of Human Primary Tumors in Mice," Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer	1	C184		
Nature Medicine, 2(6):689-692. C187 O'Reilly et al., (1997), "Endostatin: An Endogenous Inhibitor of Angiogenesis and Tumor Growth," Cell, 88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C185		
88:277-285. C188 Pancook et al., (1996), "Eradication of Established Hepatic Human Neuroblastoma Metastases in Mice with Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1988), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C186		s and Sustains Dormancy of Human Primary Tumors in Mice,"
Severe Combined Immunodeficiency by Antibody-targeted Interleukin-2," Cancer Immunol. Immunother., 42(2):88-92. C189 Park et al., (2000), "Efficiency of Promoter and Cell Line in High-level Expression of Erythropoietin," Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C187		ogenous Inhibitor of Angiogenesis and Tumor Growth," Cell,
Biotechnol. Appl. Biochem., 32:167-172. C190 Pastan et al., (1989), "Pseudomonas Exotoxin: Chimeric Toxins," Journal of Biological Chemistry, 264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C188	Severe Combined Immunodeficiency by An	blished Hepatic Human Neuroblastoma Metastases in Mice with tibody-targeted Interleukin-2," Cancer Immunol. Immunother.,
264(26):15157-15160. C191 Paul et al., (1988), "Lymphotoxin," Ann. Rev. Immunol., 6:407-438. C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C189		and Cell Line in High-level Expression of Erythropoietin,"
C192 Perez et al., (1986), "Specific Targeting of Human Peripheral Blood T Cells by Heteroaggregates Containing Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C190		in: Chimeric Toxins," <u>Journal of Biological Chemistry,</u>
Anti-T3 Crosslinked to Anti-Target Cell Antibodies," J. Exp. Med., 163:166-178. C193 Perez et al., (1989), "Isolation and Characterization of a cDNA Encoding the KS1/4 Epithelial Carcinoma Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C191	Paul et al., (1988), "Lymphotoxin," Ann. Re	ev. <u>Immunol.</u> , 6:407-438.
Marker," J. Immunology, 142(10):3662-3667. C194 Pertl et al., (2003), "Immunotherapy with a Posttranscriptionally Modified DNA Vaccine Induces Complete Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C192		
Protection Against Metastatic Neuroblastoma," Blood, 101(2):649-654. C195 Polizzi et al., (1999), "A Novel Taxane with Improved Tolerability and Therapeutic Activity in a Panel of Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C193		
Human Tumor Xenografts," Cancer Research, 59:1036-1040. C196 Putzer et al., (1997), "Interleukin 12 and B7-1 Costimulatory Molecule Expressed by an Adenovirus Vector Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C194		•
Act Synergistically to Facilitate Tumor Regression," Proc. Natl. Acad. Sci. USA, 94(20):10889-10894. C197 Reisfeld et al., (1994), "Potential of Genetically Engineered Anti-Ganglioside GD2 Antibodies for Cancer		C195	, , , , , , , , , , , , , , , , , , , ,	
	·	C196		
		C197		• =
C198 Reisfeld et al., (1996), "Antibody-interleukin 2 Fusion Proteins: A New Approach to Cancer Therapy," J. Clin. Lab. Anal., 10:160-166.		C198		in 2 Fusion Proteins: A New Approach to Cancer Therapy," J. Clin.
EXAMINER DATE CONSIDERED 5/3/05	EXAMI	NER	1-1-	DATE CONSIDERED 5/3/05

APPLICANT(S): Gillies et al. SERIAL NO. 10/737,208 CONF. NO. 6855 FILING DATE: December 16, 2006 GROUP: 1653 EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C199 Reisfeld et al., (1996), "Involvement of B Lymphocytes in the Growth Inhibition of Human Pulmonary Melanoma Metastases in Athymic nu/nu Mice by an Antibody-lymphotoxin Fusion Protein," Cancer Research, 56(8):1707-1712. C200 Reisfeld et al., (1996), "Recombinant Antibody Fusion Proteins for Cancer Immunotherapy," Current Topics in Microbiology and Immunology. 213:27-53. C201 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmulter et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3" Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology, Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Salet et al., (1994), "Base I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in
EXAM. OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C199 Reisfeld et al., (1996), "Involvement of B Lymphocytes in the Growth Inhibition of Human Pulmonary Melanoma Metastases in Athymic numu Mice by an Antibody-lymphotoxin Fusion Protein," Cancer Research, 56(8):1707-1712. C200 Reisfeld et al., (1996), "Recombinant Antibody Fusion Proteins for Cancer Immunotherapy," Current Topics in Microbiology and Immunotyox, 213:27-53. C201 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmuller et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor a and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. Salle et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
 OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication) INIT. C199 Reisfeld et al., (1996), "Involvement of B Lymphocytes in the Growth Inhibition of Human Pulmonary Melanoma Metastases in Athymic nu/nu Mice by an Antibody-lymphotoxin Fusion Protein," Cancer Research, 56(8):1707-1712. C200 Reisfeld et al., (1996), "Recombinant Antibody Fusion Proteins for Cancer Immunotherapy," Current Topics in Microbiology and Immunology, 213:27-53. C210 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmuller et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3° Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Sale et al., (1994), "Fificient Presentation of Solub
C199 Reisfeld et al., (1996), "Involvement of B Lymphocytes in the Growth Inhibition of Human Pulmonary Melanoma Metastases in Athymic mu/nu Mice by an Antibody-lymphotoxin Fusion Protein," Cancer Research, 56(8):1707-1712. C200 Reisfeld et al., (1996), "Recombinant Antibody Fusion Proteins for Cancer Immunotherapy," Current Topics in Microbiology and Immunology, 213:27-53. C201 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmuller et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3 rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Arnong the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Melanoma Metastases in Athymic nu/nu Mice by an Antibody-lymphotoxin Fusion Protein," Cancer Research, 56(8):1707-1712. C200 Reisfeld et al., (1996), "Recombinant Antibody Fusion Proteins for Cancer Immunotherapy," Current Topics in Microbiology and Immunology, 213:27-53. C201 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmulter et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase 1 Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Microbiology and Immunology, 213:27-53. C201 Reisfeld et al., (1997), "Immunocytokines: A New Approach to Immunotherapy of Melanoma," Melanoma Research, 7(Supp2):S99-S106. C202 Riethmuller et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3 rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Research, 7(Supp2):S99-S106. C202 Riethmuller et al., (1994), "Randomised Trial of Monoclonal Antibody for Adjuvant Therapy of Resected Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3 rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase 1 Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Dukes' C Colorectal Carcinoma," The Lancet, 343:1177-1183. C203 Roessler et al., (1994), "Cooperative Interactions Between the Interleukin 2 Receptor α and β Chains Alter the Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3 rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Interleukin 2-binding Affinity of the Receptor Subunits," Proc. Natl. Acad. Sci. USA, 91:3344-3347. C204 Roitt et al., (1993), "The Role of Th Cells in the Selection of Effector Mechanisms Directed Against Target Antigens," Immunology, 3 rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase 1 Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob, Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Antigens," Immunology, 3rd Ed., pp. 8.3-8.4. C205 Rosenberg, (1988), "Immunotherapy of Cancer Using Interleukin 2: Current Status and Future Prospects," Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Immunology Today, 9(2):58-62. C206 Rozwarski et al., (1994), "Structural Comparisons Among the Short-chain Helical Cytokines," Structure, 2(3):159-173. C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
C207 Ruehlmann et al., (2001), "MIG (CIXCL9) Chemokine Gene Therapy Combines with Antibody-cytokine Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Fusion Protein to Suppress Growth and Dissemination of Murine Colon Carcinoma," Cancer Research, 61(23):8498-503. C208 Sabzevari et al., (1994), "A Recombinant Antibody-interleukin 2 Fusion Protein Suppresses Growth of Hepatic Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Human Severe Combined Immunodeficiency Mice," Proc. Natl. Acad. Sci. USA, 91(20):9626-30. C209 Saleh et al., (1992), "Phase I Trial of the Chimeric Anti-GD2 Monoclonal Antibody ch14.18 in Patients With Malignant Melanoma," Hum. Antiob. Hybridomas, 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Malignant Melanoma," <u>Hum. Antiob. Hybridomas</u> , 3:19-24. C210 Sallusto et al., (1994), "Efficient Presentation of Soluble Antigen by Cultured Human Dendritic Cells Is Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
Maintained by Granulocyte/Macrophage Colony-stimulating Factor Plus Interleukin 4 and Downregulated by
C211 Santon et al., (1986), "Effects of Epidermal Growth Factor Receptor Concentration on Tumorigenicity of A431 Cells in Nude Mice," Cancer Research, 46:4701-4705.
C212 Sasaki et al., (1998), "Structure, Function and Tissue Forms of the C-terminal Globular Domain of Collagen XVIII Containing the Angiogenesis Inhibitor Endostatin," EMBO Journal, 17(15):4249-4256.
C213 Sauve et al., (1991), "Localization in Human Interleukin 2 of the Binding Site to the α-chain (p55) of the Interleukin 2 Receptor," Proc. Natl. Acad. Sci. USA, 88:4636-4640.
C214 Schlom (1991), "Monoclonal Antibodies: They're More and Less Than You Think," in Molecular Foundations of Oncology, pp. 95-133.
EXAMINER DATE CONSIDERED 5 /2 /65

FORM PTO - 1449			ATTORNEY DOCKET NO. LEX-023	
INFORMATION DISCLOSURE STATEMENT			APPLICANT(S): Gillies et al.	
			SERIAL NO. 10/737,208 CONF. NO. 6855	
			FILING DATE: December 16, 2006 GROUP: 1653	
EXAM. INIT.	отні	ER DOCUMENTS: (Including Author, Tit	tle, Date, Relevant Pages, Place of Publication)	
421	C215	Schnee et al., (1987), "Construction and Expression of a Recombinant Antibody-targeted Plasminogen Activator," Proc. Natl. Acad. Sci. USA, 84:6904-6908.		
	C216	Schoenhaut et al., (1992), "Cloning and Exp	ression of Murine IL-12," <u>J. Immunology</u> , 148(11):3433-3340.	
	C217	Seidenfeld et al., (2001), "Epoietin Treatme Review and Meta-analyis of Controlled Clin 1214.	nt of Anemia Associated with Cancer Therapy: A Systematic nical Trials," <u>Journal of National Cancer Institute</u> , 93(16):1204-	
	C218 Senter et al., (1988), "Anti-tumor Effects of Antibody-alkaline Phosphatase Conjugates in Combination with Etoposide Phosphate," Proc. Natl. Acad. Sci. USA, 85(13):4842-4846.			
	C219 Shanafelt et al., (2000), "A T-cell-Selective Interleukin 2 Mutein Exhibits Potent Antitumor Activity and is Well Tolerated In Vivo," Nature Biotechnology, 18:1197-1202.			
	C220	Sharma et al., (1999), "T cell-derived IL-10 APC Function," <u>Journal of Immunology</u> , 16	Promotes Lung Cancer Growth by Suppressing Both T cell and 3:5020-5028.	
	C221	Shen et al., (1986), "Heteroantibody-Mediated Cytotoxicity: Antibody to the High Affinity Fc Receptor for IgG Mediates Cytotoxicity by Human Monocytes That is Enhanced by Interferon-γ and is Not Blocked by Human IgG," J. Immunology, 137(11):3378-3382.		
	C222	2 Shiff et al., (1995), "Sulindac Sulfide, an Asprin-like Compound, Inhibits Proliferation, Causes Cell Cycle Quiescence, and Induces Apoptosis in HT-29 Colon Adenocarcinoma Cells," <u>Journal of Clinical Investigation</u> , 96:491-503.		
	C223 Shin et al., (1990), "Expression and Characterization of an Antibody Binding Specificity Joined to Insulin-like Growth Factor 1: Potential Applications for Cellular Targeting," Proc. Natl. Acad. Sci. USA, 87:5322-5326.			
	C224	Shinkawa et al., (2003), "The Absence of Fucose But Not the Presence of Galactose or Bisecting N-Acetylglucosamine of Human IgG1 Complex-type Oligosaccharides Shows the Critical Role of Enhancing Antibody-dependent Cellular Cytotoxicity," J. Biol, Chem., 278:3466-3473.		
	C225	Sim et al., (1997), "A Recombinant Human Cancer," Cancer Research, 57:1329-1334.	Angiostatin Protein Inhibits Experimental Primary and Metastatic	
	C226 Spiekermann et al., (2002), "Receptor-mediated Immunoglobulin G Transport Across Mucosal Barriers in Adult Life: Functional Expression of FcRn in the Mammalian Lung," J. Exp. Med., 196:303-310.		- · · · · · · · · · · · · · · · · · · ·	
	C227 Stevenson et al., (1997), "Conjugation of Human Fcy in Closed-Hinge or Open-Hinge Configuration to Fab'y and Analogous Ligands," J. Immunology, 158:2242-2250.			
	C228 Strom et al., (1996), "Therapeutic Approach to Organ Transplantation," Chapter 36, pp. 451-456, in Therapeutic Immunology , Austen et al., (eds.), Blackwell Science.			
	C229	Sulitzeanu, (1993), "Immunosuppressive Factors in Human Cancer," pp. 247-266 in <u>Advances in Cancer Research, Vol. 60</u> , Vande Woude et al. (eds.), Academic Press, Inc.		
	C230 Syed et al., (1998), "Efficiency of Signaling Through Cytokine Receptors Depends Critically on Receptor Orientation," Nature, 395:511-516.			
EXAMI	NER	1-+	DATE CONSIDERED 5/2/05	

FORM PTO - 1449			ATTORNEY DOCKET NO. LEX-023			
INFORMATION DISCLOSURE STATEMENT			APPLICANT(S): Gillies et al.			
			SERIAL NO. 10/737,208 CONF. NO. 6855			
			FILING DATE: December 16, 2006 GROUP: 1653			
EXAM.						
INIT.			C. Charles DNA Callings Interleging 2 "Nepure			
12	C231	302:305-309.	ression of a Cloned cDNA for Human Interleukin-2," Nature,			
۱ .	C232	Tao et al., (1989), "Studies of Aglycosylate Effector Functions Mediated by the Human	I Chimeric Mouse IgG: Role of Carbohydrate in the Structure and IgG Constant Region," <u>J. Immunology</u> , 143(8):2595-2601.			
	C233	Tao et al., (1993), "Structural Features of H Complement Activation," J. Exp. Med., 178	uman Immunoglobulin G that Determine Isotype-Differences in (2):661-667.			
	C234	Teicher et al., (1994), "Potentiation of Cytotoxic Cancer Therapies by TNP-470 Alone and With Other Anti- Angiogenic Agents," Int. J. Cancer, 57:920-925.				
<i>-/-</i> -	C235	The Merck Manual of Diagnosis and Therapy, 17th Ed., (1999) pp. 990-993 and 1278-1283.				
	C236	Thommesen et al., (2000), "Lysine 322 in the Human IgG3 CH2 Domain is Crucial for Antibody Dependent Complement Activation," Mol. Immunol., 37(16):995-1004.				
	C237	Till et al., (1988), "An Assay that Predicts the Ability of Monoclonal Antibodies to Form Potent Ricin A Chain-containing Immunotoxins," Cancer Research, 48(5):1119-1123				
	C238	Till et al., (1988), "HIV-Infected Cells are Killed by rCD4-Ricin A Chain," Science, 242:1166-1168				
	C239	Trinchieri, (1994), "Interleukin-12: A Cytokine Produced by Antigen-Presenting Cells With Immunoregulatory Functions in the Generation of T-Helper Cells Type 1 and Cytotoxic Lymphocytes," <u>Blood</u> , 84:4008-4027.				
	C240	Vagliani et al., (1996), "Interleukin 12 Potentiates the Curative Effect of a Vaccine Based on Interleukin 2-transduced Tumor Cells," Cancer Research, 56:467-470.				
	C241	Varki et al., (1984), "Antigens Associated with a Human Lung Adenocarcinoma Defined by Monoclonal Antibodies," Cancer Research, 44:681-687.				
	C242					
	C243	Villunger et al., (1997), "Constitutive Expr Potential Mechanism of Tumor-induced Su	ession of Fas (Apo-1/CD95) Ligand on Multiple Myeloma Cells: A ppression of Immune Surveillance," <u>Blood</u> , 90(1):12-20.			
	C244	Watanabe et al., (1997), "Long-term Deple Blood, 90(9):3662-3672.	tion of Naive T cells in Patients Treated for Hodgkin's Disease,"			
	C245	Weber et al., (2001), "Phase I Trial of huKS-IL2 Immunocytokine in Patients with Prostate Carcinoma: Clinical, PK, and Biological PD Results (Abstract)," American Society of Clinical Oncology Program/Proceedings, 20(Part 1):259a.				
	C246	Wells, (1990), "Additivity of Mutational E	ffect in Proteins," Biochemistry, 29(37):8509-8517.			
	C247	Wen et al., (1993), "Erythropoietin Structure-Function Relationships: High Degree of Sequence Homology Among Mammals," <u>Blood</u> , 82(5):1507-1516.				
1	C248 Wen et al., (1994), "Erythropoietin Structure-Function Relationships: Identification of Functionally Important Domains," J. Biological Chemistry, 269(36):22839-22846.					
EXAMI	NER	/a of	DATE CONSIDERED 5/2/05			

FORM PTO - 1449 INFORMATION DISCLOSURE STATEMENT			ATTORNEY DOCKET NO. LEX-023	
			APPLICANT(S): Gillies et al.	
			SERIAL NO. 10/737,208 CONF. NO. 6855	
		·	FILING DATE: December 16, 2006 GROUP: 1653	
EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)			
14	C249	Polymerase I Klenow Fragment," Gene, 43:		
	C250	Williams et al., (1987), "Diphtheria Toxin R Construction and Properties of a Diphtheria 1(6):493-498.	eceptor Binding Domain Substitution with Interleukin-2: Genetic Toxin-related Interleukin-2 Fusion Protein," Protein Engineering,	
	C251	Wooley et al., (1993), "Influence of a Recombinant Human Soluble Tumor Necrosis Factor Receptor Fc Fusion Protein on Type II Collagen-Induced Arthritis in Mice," <u>J. Immunology</u> , 151:6602-6607.		
	C252	Wu et al., (1997), "Suppression of Tumor Growth with Recombinant Murine Angiostatin," <u>Biochemical and Biophysical Research Communications</u> , 236:651-654.		
-	C253	Xiang et al., (1997), "Elimination of Established Murine Colon Carcinoma Metastases by Antibody-Interlet 2 Fusion Protein Therapy," <u>Cancer Research</u> , 57:4948-4955.		
1:	C254	Xiang et al., (1998), "Induction of Persistent Tumor-protective Immunity in Mice Cured of Established Colon Carcinoma Metastases," Cancer Research, 58(17):3918-3925.		
	C255	Xiang et al., (1999) "T Cell Memory against Colon Carcinoma is Long-lived in the Absence of Antigen," <u>J. Immunology</u> , 163(7):3676-83.		
	C256	Xiang et al., (2001), "A Dual Function DNA Vaccine Encoding Carcinoembryonic Antigen and CD40 Ligan Trimer Induces T Cell-mediated Protective Immunity Against Colon Cancer in Carcinoembryonic Antigen-Transgenic Mice," J. Immunology, 167(8):4560-5.		
	C257	Xiang et al., (2001), "Protective Immunity Against Human Carcinoembryonic Antigen (CEA) Induced by an Oral DNA Vaccine in CEA-transgenic Mice," Clinical Cancer Research, 7(3 Supp):S856-S864.		
	C258	8 Xu et al., (1994), "Residue at Position 331 in the IgG1 and IgG4 CH2 Domains Contributes to Their Differential Ability to Bind and Activate Complement," J. Biol. Chem., 269(5):3469-3474.		
	C259	Yu et al., (1998), "Phase I Trial of a Human-Mouse Chimeric Anti-Disaloganglioside Monoclonal Antibody ch14.18 in Patients with Refractory Neuroblastoma and Osteosarcoma," J. Clinical Oncology, 16(6):2169-80.		
	C260	Zagozdzon et al., (1999), "Potentiation of Antitumor Effects of IL-12 in Combination with Paclitaxel in Mu Melanoma Model In Vivo," International Journal of Molecular Medicine, 4:645-648.		
1	C261	Zheng et al., (1995), "Administration of Noncytolytic IL-10/Fc in Murine Models of Lipopolysaccharide-induced Septic Shock and Allogenic Islet Transplantation," J. Immunology, 154:5590-5600.		
EXAMI	NED		DATE CONSIDERED 5/3/65	